Corrigendum to “Carbonate delta drift: A new sediment drift type” [Mar. Geol. 401 (2018) 98–111]

Lüdmann, T.; Betzler, C.; Eberli, G.P.; Reolid, J.; Reijmer, J.J.G.; Sloss, C.R.; Bialik, O.M.; Alvarez-Zarikian, C.A.; Alonso-García, M.; Blättler, C.L.; Guo, J.A.; Haffen, S.; Horozal, S.; Inoue, M.; Jovane, L.; Kroon, D.; Lanci, L.; Laya, J.C.; Mee, A.L.H.; Nakakuni, M.

published in
Marine Geology
2018

DOI (link to publisher)
10.1016/j.margeo.2018.10.005

document version
Publisher's PDF, also known as Version of record

Marine Geology 406 (2018) 214–215

Contents lists available at ScienceDirect

Marine Geology

journal homepage: www.elsevier.com/locate/margo

Corrigendum

Corrigendum to "Carbonate delta drift: A new sediment drift type" [Mar. Geol. 401 (2018) 98–111]

Thomas Lüdmann[a,*], Christian Betzler[a], Gregor P. Eberli[b], Jesús Reolid[a], John J.G. Reijmer[c], Craig R. Sloss[d], Or M. Bialik[e], Carlos A. Alvarez-Zarikian[f], Montserrat Alonso-García[g,h], Clara L. Blättler[i], Junhua Adam Guo[j], Sébastien Haffen[k], Senay Horozal[l], Mayuri Inoue[m], Luigi Jovane[n], Dick Kroon[o], Luca Lanci[p], Juan Carlos Laya[q], Anna Ling Hui Mee[b], Masatoshi Nakakuni[r], B. Nagender Nath[s], Kaoru Niino[t], Loren M. Petruny[u], Santi D. Pratiwi[v], Angela L. Slagle[w], Xiang Su[x], Peter K. Swart[b], James D. Wright[y], Zhengquan Yao[z,aa], Jeremy R. Young[ab]

[a] Institute of Geology, CEN, University of Hamburg, Bundesstrasse 55, Hamburg 20146, Germany
[b] Department of Marine Geosciences, Rosenstiel School of Marine & Atmospheric Science, University of Miami, Miami, FL 33149, USA
[c] College of Petroleum Engineering and Geosciences, Fahd University of Petroleum and Minerals, Dhahran 31261, Saudi Arabia
[d] Earth and Environmental Sciences, University of Technology Queensland, R-Block 317, 2 George Street, Brisbane, Queensland 4001, Australia
[e] Dr. Moses Strauss Department of Marine Geosciences, The Leon H. Charney School of Marine Sciences, University of Haifa, Carmel 31905, Israel
[f] International Ocean Discovery Program, Texas A&M University, Discovery Drive, College Station, TX 77845, USA
[g] Instituto Portugues do Mar e da Atmosfera (IPMA), Divisão de Geologia e Georecursos Marinhos, Rua Alfredo Magalhães Ramalho, 6, 1495-006, Portugal
[h] Centro de Ciencias do Mar (CCMAR), Universidade do Algarve, Faro, Portugal
[i] Department of Geosciences, Princeton University, Guyot Hall, Princeton, NJ 08544, USA
[j] Department of Geological Sciences, California State University Bakersfield, 9001 Stockdale Highway, Bakersfield, CA 93311, USA
[k] Physical Properties Specialist, Ecole Nationale Superieure de Geologie, Universite de Lorraine, 2 rue du Doyen Marcel Roubault, Vandoeuvre-les-Nancy 54501, France
[l] Petroleum and Marine Research Division, Korea Institute of Geoscience & Mineral Resources (KIGAM), Gwahang-no 124, Yuseong-gu, Daejeon 305-350, Republic of Korea
[m] Graduate School of Natural Science and Technology, Okayama University, 3-1-1 Tsushima-naka, 700-8530, Japan
[n] Instituto Oceanográfico da Universidade de São Paulo, Praça do Oceanográfico, 191, São Paulo, SP 05508-120, Brazil
[o] School of GeoSciences, University of Edinburgh, Grant Institute, The King's Buildings, James Hutton, Edinburgh EH9 3FE, United Kingdom
[p] Istituto di Scienze della Terra, Università di Urbino, Via S. Chiara 27, Urbino 61029, Italy
[q] Department of Geology and Geophysics, Texas A&M University, Mail Stop 3115, College Station, TX 77843-3115, USA
[r] Department of Environmental Engineering for Symbiosis, Soka University, 1-236 Tangi-cyo, Hachioji-shi, Tokyo 192-0003, Japan
[s] Geological Oceanography Division, CSIR-National Institute of Oceanography, Dona Paula, Goa 403004, India
[t] Graduate School of Science and Engineering, Yamagata University, 1-4-12 Kojirakawa-machi, Yamagata City 990-8560, Japan
[u] Environmental Science and Policy Department, David King Hall Rm 3005, MSN 5F2, George Mason University, University Drive, Fairfax, VA 22030-4444, USA
[v] Universitas Padjadjaran, Geological Engineering, Jl. Raya Bandung, Sumedang KM 21, Jatinangor 45363, Indonesia
[w] Lamont-Doherty Earth Observatory, Columbia University, Borehole Bldg. 61 Route 9W, Palisades, NY 10964, USA
[x] Key Laboratory of Marginal Sea Geology, South China Sea Institute of Oceanology, Chinese Academy of Sciences, West Xingang Road, Guangzhou 510301, PR China
[y] Department of Geological Sciences, Rutgers, The State University of New Jersey, 610 Taylor Road, Piscataway, NJ 08854-8066, USA
[z] Department of Marine Geology, First Institute of Oceanography (FIO) State Oceanic Administration (SOA), #6 Xian Xia Ling Road, Qingdao, Shandong Province 266061, PR China
[aa] Laboratory for Marine Geology, Qingdao National Laboratory for Marine Science and Technology, Qingdao, PR China
[ab] Department of Earth Sciences, University College London, Gower Street, London WC1E 6BT, United Kingdom

The authors regret the mistake in the drawing of the delta drift architecture in figure 11.

The authors would like to apologise for any inconvenience caused.

DOI of original article: https://doi.org/10.1016/j.margeo.2018.04.011
* Corresponding author.
E-mail address: thomas.luedmann@uni-hamburg.de (T. Lüdmann).

https://doi.org/10.1016/j.margeo.2018.10.005

Available online 16 October 2018
0025-3227/

Characteristics of a delta drift

Fabrics/ Textures	Dominant Grain Size Range	Sedimentary Features	Bedding Style
generally sand size-dominated; proximal part: coarsening upward; bioclastic pkstn-gnstn to gnstn-rdstn; distal part: bioclastic wkstn-pkstn	proximal part: coarsening upward; medium to fine to granular-coarse; distal part: very fine to fine	medium to pervasive bioturbation; well-sorted; normal- to inverse grading; hardgrounds; chalk	no-lamination or bedding; tabular sheets; intervals of varying tectures; strike and dip lengths up to kms



Geometry	Transport Processes	Source Factory	Resedimentation Process
width: 16-17 km length: ca. 25 km volume: 142-185 km^3 slope angles: 1°-3° (upper) 3°-5° (middle)	quasi-steady concentrated flow; predominantly downslope, subordinate along-slope	skeletal grains, bioclast, from platform-top and gateway; surface water primary production	wind-driven bottom current transport and erosion; offbank sweeping from waves and tidal or wind currents; water column fallout (pelagic)